

EMERGENCY SIREN TESTING TIMES

As part of industry's commitment to workplace safety and health, and a safer community, a number of **KIC member companies** in the Kwinana Industrial Area conduct weekly tests of their emergency alarms/sirens. The installation and testing of the alarms/sirens is an integral part of the Kwinana Industries Mutual Aid (KIMA) scheme that has been established by the companies to share emergency response expertise, manpower and resources in the event of a major incident.

For your information, the testing of alarms/sirens are conducted on the following days.

(Please note that testing of alarms/sirens may occur outside of these scheduled times due to system maintenance).

| DAY | TIME | DURATION | COMPANY |
|-----------|---------|--|---|
| Monday | 8.30am | 60-second alarm | BHP Billiton Nickel West, Patterson Rd, Rockingham. |
| | 9.00am | 20-second alarm | Coogee Chlor-Alkali, Mason Rd, Kwinana |
| | 9.00am | 15-second alarm | Wesfarmers Kleenheat Gas Pty Ltd, Beach Street, Kwinana. |
| | 9.20am | 20-second alarm | Nufarm Australia Limited, Mason Rd, Kwinana. |
| | 9.30am | 20-second alarm | Tronox, Mason Rd, Kwinana. |
| | 9.40am | Siren, fog horn & alarm for about three mins | BP Refinery, Mason Rd, Kwinana. |
| Tuesday | 1.00pm | 60-second alarm | Bayer CropScience, Thomas Rd, Kwinana. |
| | 9.00am | 10-second alarm | CSBP, Kwinana Beach Rd, Kwinana. |
| | 10.00am | 60-second alarm | Synergy, Leath Rd, Naval Base. |
| Wednesday | 12 noon | 20-second alarm | Alcoa of Australia Limited, Cockburn Rd, Kwinana. |
| | 9.00am | 30 seconds intermittent followed by 30 seconds constant | Cockburn Power Station, Leath Road, Naval Base |
| | 10.00am | 10-second constant siren | Perth Seawater Desalination Plant, Barter Rd, |
| | 11.00am | 30 seconds Intermittent mid-range tone, followed by 30 seconds rising and lowering tone, followed by a continuous high pitch tone for 10 seconds | NewGen Kwinana Power Station Project, Leath Road Naval Base |
| Thursday | 11.30am | Fire, gas & All Clear alarms for one min & 20 secs | Kleenheat Production, Donaldson Rd, Kwinana. |
| | 9.00am | 10-second alarm | CSBP, Kwinana Beach Rd, Kwinana. |
| | 9.25am | Fire alarm & evacuation alarm for 40 secs | Coogee Chemicals, Kwinana Beach Rd, Kwinana. |
| | 10.00am | 15-second alarm | EcoLab Pty Ltd, Richardson St, Kwinana. |
| | 12 noon | 10-second alarm | CBH Group Ltd, Beach Rd, Rockingham. |
| Friday | 9.30am | Evac Alarm and Safe Alarm - 20 seconds. | Kwinana Cogeneration Plant, James Crt, Kwinana Beach. |
| | 10.00am | 10-second alarm | Fremantle Ports, Riseley Rd, Kwinana |
| | 11.55am | 30-second alarm | BOC Gases, Mason Rd, Kwinana |
| | 1.00pm | 30-second alarm continuous siren, followed by 30-second alarm undulating siren | Tianqi Lithium Australia, Donaldson Rd, Kwinana |
| | | | |